



ARENA FORCE

Waterproofing,
protection
and concrete repair

Page 1/3

Safety Data Sheets according to 1907/2006/EC, Article 31

Date of printing: 25.10.2017

Revision : 25.10.2017

ARENA FORCE Waterproofing, protection and concrete repair

SECTION 1 - MANUFACTURER IDENTIFICATION

Product details

Product Identity: ARENA DryDeform

Application of the substance / preparation: sealing of seams

Manufacturer / Supplier: " LLC "Waterproofing plant" ARENA "

Postal and legal address: 620131, Ekaterinburg, Metallurgov Street, Building 84, Apt. 616

E-mail: info@arenasmesi.ru

Phone: +7 (343) 357-90-77; +7-800-511-06-86;

Homepage: www.arenasmesi.ru

E-mail: info@arenasmesi.ru

Further information: info@arenasmesi.ru

Emergency information (Accident) cases: +7-800-511-06-86, +7 (343) 357-90-77

SECTION 2 - PRODUCT IDENTIFICATION

Product Name: ARENA DryDeform Product

Description: Hydrophilic Butyl Sealant **H.M.I.S Rating:**

Health=0 Fire = 1 Reactivity=0 Protection=A

SECTION 3 - HAZARDOUS INGREDIENTS

Hazardous Components	CAS Number	% Composition	OSHA PEL
Not applicable for this product.			

SECTION 4 - FIRE & EXPLOSION HAZARD DATA

Specific Gravity (H2O=1): 1.35

(% Volume): 0.00%

Solubility in Water: Insoluble

Evaporation Rate (BuAc=1): N/A

Volatile Organic Content: N/A

Boiling Point: N/A Volatile

Melt/Freeze Point: N/A

Vapor Density (Air=1): N/A

Vapor Pressure (mm of Mercury): N/A

Appearance/Odor: Black tacky solid, slight petroleum odor

(Continued on page 2)



ARENA

F O R C E

Waterproofing,
protection
and concrete repair

Page 2/3

Safety Data Sheets according to 1907/2006/EC, Article 31

Date of printing: 25.10.2017

Revision : 25.10.2017

TradeName: ARENA DryDeform

SECTION 5 - FIRE AND EXPLOSION DATA

Flash point: 232°C (450°F)

Method Used: COC

Flammable Limits in Air, % by Volume:

UEL Upper: N/D LEL

Lower: N/D

Extinguishing Media: Dry chemical, carbon dioxide, foam, water. **Unusual Fire and Explosion Hazards:** None known **Special Fire Fighting Procedures:** None known

SECTION 6 - REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None known **Materials to Avoid:**

Strong oxidizing agents

Hazardous Decomposition or By-Products: Upon ignition may form CO_r, CO, and various hydrocarbon fumes.

SECTION 7 - HEALTH HAZARDS

Acute: None known **Chronic:** None known

Signs and Symptoms of Exposure: None known

Medical Conditions Generally Aggravated by Exposure: None known

Toxicity Data:

National Toxicology Program: No

I.A.R.C. Monographs: No

OSHA: No

Emergency and First Aid Procedures:

Eye contact: Flush with warm water for 15 minutes. If irritation persists, contact physician.

Skin contact: Wash contaminated area with soap and water.

Ingestion: DO NOT INDUCE VOMITING. Contact a physician.

Routes of Entry:

Inhalation: No

Eyes: No

Skin: No

Ingestion: Not likely

(Continued on page 3)



ARENA

F O R C E

Waterproofing,
protection
and concrete repair

Page 3/3

Safety Data Sheets according to 1907/2006/EC, Article 31

Date of printing: 25.10.2017

Revision : 25.10.2017

TradeName: ARENA DryDeform

SECTION 8 - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken In Case Material Is Released or Spilled: Remove sources of ignition. **Waste Disposal:** Dispose of in accordance with local, state and federal regulations. **Precautions to be taken in handling and storage:** Rotate stock. Do not stack cartons on end.

SECTION 9 - CONTROL MEASURES

Respiratory Protection: Not required under normal applications. **Ventilation:**

Local Exhaust: N/A

Mechanical: N/A Special: N/A

Other: N/A

Protective Gloves: Chemical resistant, imperious. **Eye Protection:**

Safety goggles or glasses. **Other protective clothing or**

equipment: N/A

Hygienic Practices; Wash hands with soap and water after working with this material. Practice good personal hygiene.

SECTION 10 ■ DISCLAIMER OF LIABILITY

Company warrants that the products manufactured by it shall be free from material defects and will conform to formulation standards and contain all components in their proper proportion. Should any of the products be proven defective, the liability to company shall be limited to replacement of the material proven to be defective and shall in no case be liable otherwise or for incidental or consequential damages.

Company MAKES NO WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. User shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith.

General Director of LLC "Waterproofing plant" ARENA"



L. A. Nikitina